

The GLW Range of Broiler Feeds are based on the nutritional requirements of commercial broiler breeds such as the Aviagen Ross 308. The diets are designed to give good early growth whilst aiding skeletal and intestinal development.

Broiler Feeds

GLW Broiler Feeds are manufactured from carefully selected and quality assured raw materials to the highest standards of production methods and traceability to ensure high quality, consistent products. The nutrient content of the range of broiler feeds is well balanced to help maximise good gut health.

Both the Starter Crumb and Grower Pellets contain the Coccidiostat Maxiban, a 50/50 mixture of Narasin and Nicarbazin. The Finisher contains Elancoban G200 whose active ingredient is Monensin. At the present time this coccidiostat combination is the recognised industry standard, giving effective protection from coccidiosis.

The Withdrawal rations are fed prior to kill of pullets and cockerels respectively as a 1 day withdrawal period must be observed on the finisher ration which contains Elancoban G200.



Product	Code	Rate	Protein %	ME (MJ/kg)	Coccidiostat
Broiler Starter Crumb 0-10 days	P70150	0.25t per 1000 birds	23.0	12.5	Maxiban
Broiler Grower Pellets 11 to 17 days	P70151	0.50t per 1000 birds	21.9	12.8	Maxiban
Broiler Grower Pellets 18 to 24 days	P70152	0.75t per 1000 birds	21.0	13.0	Maxiban
Broiler Finisher Pellets 25 days +	P70153	Ad lib	18.5	13.2	Elancoban G200
Broiler Withdrawal Pellets	P70154	Ad lib	18.0	13.2	None
Broiler Heavy Withdrawal Pellets	P70155	Ad lib	17.5	13.3	None